hydrobiologia volume 317 (1996), contents

volume 317, no. 1, january 5, 1996

Publisher's announcement v

Metal pollution recorded in extinct *Dreissena polymorpha* communities, Lake Breitling, Havel Lakes system, Germany: a laser ablation inductively coupled plasma mass spectometry study
by G. Schettler & N.J.G. Pearce 1–11

The development of dragonfly larvae (Odonata: Anisoptera) from two streams in north-eastern Victoria, Australia
by J.H. Hawking & T.R. New 13–30

Influence of benthic organisms on solute transport in lake sediments
by K.C.J. Van Rees, K.R. Reddy & P.S.C. Rao 31–40

Benthos and macroinvertebrate drift in six streams differing in alkalinity
by P. Koetsier, G.W. Minshall & C.T. Robinson 41–49

Seasonal changes in the intervertebrate community of small shallow ephemeral pans at Bain's Vlei, South Africa
by S. Meintjes 51–64

Contributions to the Cladocera fauna from Papua New Guinea
by N.N. Smirnov & L. De Meester 65–68

Growth and carbon utilization by sprouted propagules of two species of submersed rooted aquatic plants grown in darkness
by D.F. Spencer & G.G. Ksander 69–78

Some aspects of the reproductive biology of *Barbus* spp., *Capoeta damascina* and their hybrids (Cyprinidae, Teleostei) in Israel
by L. Fishelson, M. Goren, J. van Vuren & R. Manelis 79–88

volume 317, no. 2, january 12, 1996

Use of three types of stream-margin habitat by age-0 brown trout late in the growing season
by W.J. La Voie IV & W.A. Hubert 89–95

The effect of habitat stability on benthic invertebrate communities: the utility of species abundance distributions
by R.G. Death 97–107

A new species of *Ilyocryptus* (Cladocera: Macrothricidae) from Turkey
by E. Gündüz 109–114

Limestone to Mitigate Lake acidification: macrozoobenthos response in treated and reference lakes
by P.T. Bradt 115–126

The freshwater snail *Bulinus tropicus* (Planorbidae) in Namibia, characterised according to chromosome number, enzymes and morphology
by D.S. Brown, B.A. Curtis & D. Rollinson 127–139

Seasonal variation in the composition of aquatic organic matter in some Nova Scotian brown-waters: a nuclear magnetic resonance approach
by T.A. Clair, B.G. Sayer, J.R. Kramer & D.R. Eaton 141–150
P-release from DOP by phosphatase activity in comparison to P excretion by zooplankton. Studies in hardwater lakes of different trophic level
by B. Hantke, P. Fleischer, I. Domany, M. Koch, P. Pleß, M. Wiendl & A. Melzer 151–162
Predator-induced bottom-up effects in oligotrophic systems
by A. Pérez-Fuentetaja, D.J. McQueen & C.W. Ramcharan 163–176

volume 317, no. 3, january 19, 1996

Caridina nilotica in Lake Victoria: abundance, biomass, and diel vertical migration
by J.T. Lehman, G.B. Mbahinzireki & L. Mwebaza-Ndawula 177–182
A long-term perspective of dissolved organic carbon transport in Sycamore Creek, Arizona, USA
by J.B. Jones, Jr., S.G. Fisher & N.B. Grimm 183–188
Effects of the diatom-*Emiliania huxleyi* succession on photosynthesis, calcification and carbon metabolism by size-fractionated phytoplankton
by E. Marañón, E. Fernández, R.P. Harris & D.S. Harbour 189–199
The influence of substratum age on patterns of protozoan assemblages in freshwater *Aufwuchs* – a case study
by K. Jax 201–208
An empirical model for sediment resuspension in shallow lakes
by D.P. Hamilton & S.F. Mitchell 209–220
Molluscs and biodegradable pollution in rivers: proposal for a scale of sensitivity of species
by J. Mouthon 221–229
Longitudinal distribution of Trichoptera in the Loire River (France): simple ordination methods and community structure
by B. Guinand, J.-M. Ivol & H. Tachet 231–245
Taxonomic and biogeographic analysis of the *Proasellus coxalis*-group (crustacea, isopoda, asellidae) in Sicily, with description of *Proasellus montalentii* n. sp.
by F. Stoch, F. Valentino & E. Volpi 247–258

Opinions section .....
On prediction and description in limnology
by K. Martens 259–262

Author index 263